

September 26, 2022

Ms. Anne Gibboni
Director, Facilities
Cape May County Technical School District
188 Crest Haven Road
Cape May Court House, NJ 08210

Dear Ms. Gibboni,

This report summarizes the results of our September 21-22, 2022 mercury air monitoring of the Cape May Technical School MAC gym.

Continuous air monitoring conducted during normal occupancy by students and staff over an approximate 24-hour period (10:00 AM on 9-21 to 9:55 AM on 9-22-22) revealed **occupied average airborne mercury levels of 0.20 and 0.54 $\mu\text{g}/\text{m}^3$** ; below the NJ Department of Health guideline of 0.8 $\mu\text{g}/\text{m}^3$. **Unoccupied nighttime average airborne mercury levels were 1.61 $\mu\text{g}/\text{m}^3$** . Based upon these findings, no mercury inhalation exposure hazard is suggested.

Thank you for the opportunity to assist you with the evaluation. Our next mercury monitoring will be scheduled for December 2022.

Please contact me with any questions at (856)764-3557.

Sincerely,
Richard A. Lynch
Richard A. Lynch, MBA, CIH, CIEC
Certified Industrial Hygienist
NJ Licensed Indoor Environmental Consultant
www.esmcorp.com

Reviewed and Authorized:
Richard M. Lynch
Richard M. Lynch, Ph.D., CIH, CMC, CMRS, CHFM
NJ Licensed Indoor Environmental Consultant
President, ESMCorp
rlynch@esmcorp.com